Table 5
Major mercury emission sources within 75 kilometers of Waccamaw S.P.

Source (category)	1998 reported Hg emissions (lbs)[1]	Distance and direction from Waccamaw S.P. (km)
Chlor-alkali	1276	25, ENE
Municipal waste incinerator	362	50, E
Coal-fired utility boiler	354	45, E
Pulp and paper mill	93	25, ENE
Coal-fired utility boiler	90	70, WNW
Chemical manufacturer	60	45, E
Chemical manufacturer	29	55, SE
Chemical manufacturer	9	55, SE

[1]Reported emissions from state air quality permit database, self-reported values or 1998 TRI.

REFERENCES

Lindberg SE, Stratton WJ, 1998. Atmospheric Mercury Speciation: Concentrations and Behavior of Reactive Gaseous Mercury in Ambient Air. *Environ. Sci. Technol.* **32**, 49-57.

Mason RP, Lawson NM and Sheu GR, 2000. Annual and seasonal trends in mercury deposition in Maryland. *Atmospheric Environment*, **34**, 1691-1701.

MDN Standard Operating Procedure Manual, Frontier Geosciences, Inc., 414 Pontius North, Suite B, Seattle, WA 98109.

Sweet CW and Prestbo E. 1999. Wet deposition of Mercury in the U.S. and Canada. Mercury in the Environment, Proceedings of a Specialty Conference. AWMA, 306-315.

Stevens RK, USEPA, personal communication.

Tekran, Inc. 1999a. Model 2537A Mercury Vapour Analyzer User Manual. Tekran, Inc. Toronto, Canada.

Tekran, Inc. 1999b. Model 1130 Mercury Speciation Unit User Manual. Tekran, Inc. Toronto, Canada.

USEPA, 1987. On-site Meteorological Program Guidance for Regulatory Applications. Office of Research and Development. RTP, NC. EPA-450/4-87-013.

USEPA, 1987a. Mercury Study Report to Congress. OAQPS, ORD. EPA-452/R-97-003.